


HI-AWARE

Himalayan **A**daptation, **W**ater and **R**esilience
Research on Glacier and Snowpack
Dependent River Basins for Improving
Livelihoods

Dr. Bashir Ahmad
Principal Investigator HI-AWARE
Pakistan Agricultural Research Council Islamabad




HI-WARE Focus:

- HI-AWARE - is a regional initiative in South Asia
- Single methodology for region
- ICIMOD is regional partner for coordination
- Prominent researchers of Wageningen University-Netherland, Future Water and Osburg University Germany, Colorado University USA are knowledge partner
- Based on intensive field monitoring, piloting, demonstration & scenario modelling
- Synergies between science base knowledge and community adaptation practices
- Addressing food/agriculture, water, energy, health, urban habitat sectors
- Economic of adaptation/Climate Action
- Focus on Climate Communication from community-practitioners to policy makers

12 HI-AWARE STUDY AREAS IN 4 STUDY BASINS

- Indus
- Upper Ganga
- Gandaki
- Teesta





Consortium Members

- Bangladesh Centre for Advanced Studies (BCAS)
- International Centre for Integrated Mountain Development (ICIMOD), based in Nepal
- Pakistan Agricultural Research Council (PARC)
- The Energy and Resources Institute (TERI), based in India
- Wageningen University and Research, based in the Netherlands



Strategic Partners

- Centre for Ecology Development and Research (CEDAR)
- FutureWater
- LEAD – Pakistan
- Megh Pyne Abhiyan (MPA)
- Practical Action Nepal
- The Mountain Institute (TMI) India

Implementing Partners

Pakistan Meteorological Department (PMD)

WAPDA

*NUST, Karakorum University Gilgit, GC
University Faisalabad*


OFWM, Punjab

Research Question


How to develop timely adaptation measures and approaches to respond to rising temperatures, seasonal shifts in glacier and snowmelt induced runoff, and increased frequency of extreme events in the HKH mountains and floodplains in order to improve the resilience of livelihoods of the poor and vulnerable?



Methodology



Generation of Knowledge



RC-1 Biophysical drivers and Impacts

- developing detailed mountain-specific and basin-scale climate change scenarios;
- improving cryosphere-hydrological modelling to assess significant shifts in river-flow regimes, with an aim to develop water-demand and supply scenarios as well as to improve and apply water-food impact models
- helping researchers better understand climate change's impacts on extreme events (heat waves, floods, droughts), and quantify these extremes from climate models and, subsequently, impact models.




RC-1 Biophysical drivers and Impacts

Climate Modelling

- Historical climate data sets (1981-2010) of P, T
- Development of Future scenarios (2010-2100) based on Daily,
 - Precipitation, T, ET_{ref}
 - Entire IGB at 10x10 km resolution
 - Upstream IGB at 5x5 km resolution
- 2 RCPs x 4 GCMs = 8 scenarios, covering broad range of projected changes in climate
 - RCP4.5: T increase of 1.7 to 3.5 oC (2071 to 2100 vs 1971 to 2000)
 - RCP8.5: temp increase of 3.6 to 6.3 oC (2071 to 2100 vs 1971 to 2000)


Dataset properties

- 1981-2010, daily P, Tavg, Tmax, Tmin, ETref
- 5x5 km for upstream IGB
- 10x10 km for total IGB




Climate modeling


RCP8.5 Mean ΔT ($^{\circ}\text{C}$) 2071–2100 versus 1971–2000




RCP8.5 SD ΔT ($^{\circ}\text{C}$) 2071–2100 versus 1971–2000




RCP8.5 Mean ΔP (%) 2071–2100 versus 1971–2000



RCP8.5 SD ΔP (%) 2071–2100 versus 1971–2000





Copyright © 2013 National Geographic Society, I-cubed

Number of days with minimum temperature > 30 °C



Background


Background map


Country borders

Number of days with minimum temperature > 30 °C

◀ **Current climate** RCP 4.5 2050 RCP 8.5 2050 ▶

Number of days with maximum temperature > 45 °C





Number of days with minimum temperature > 30 °C



Background

Background map


Country borders

Number of days with minimum temperature > 30 °C

◀ Current climate **RCP 4.5 2050** RCP 8.5 2050 ▶

Number of days with maximum temperature > 45 °C





Copyright © 2013 National Geographic Society, I-cubed

Number of days with minimum temperature > 30 °C



Background

- Background map
- Country borders

Number of days with minimum temperature > 30 °C


Current climate
 RCP 4.5 2050
 RCP 8.5 2050

Number of days with maximum temperature > 45 °C



Cryosphere Monitoring Network (Hydro-meteorological equipment) in Shimshal Valley to address Karakoram Anomaly

- Automatic Weather Station (AWS) above 5000 m.a.s.l. (04 No.)
- Pluvio Rain Gauge System (10 NOS.)
- Temperature Loggers (20 NOS.)
- Tipping Bucket Rain Gauges (06 NOS.)
- Water Level Sensors (04 NOS.)





Pluvis Meter for a High Altitude Site

iWS-5 a new 2012 generation of low temperature, rapid deployment Weather Stations

Features/Benefits iWS-5:

- Compact all-in-one weather station
- 8 sensors, datalogger, ARGOS transmitter, power in one unit
- 4 year service interval iWS module and sensors
- Easy to change the entire module or components
- Cables and connectors reduced to the minimum
- Internal flash and SD memory card
- Data storage: all sensors half hour averages

Power:

- Ultra low power, works with 3 integrated solar panels and 90Ah lithium battery up to 4 years

Communication:

- ARGOS satellite telemetry
- Management and data download via bluetooth
- External bluetooth sensors

Sensors:

- Thermocouple temperature, low radiation error
- Humidity, Temperature
- Silicon barometer
- Ultrasonic snow height sensor
- Electronic compass and inclinometer
- GPS location, timing, clock
- Solar radiation: (external) net radiometer Kipp CNR-4
- Wind: (external) Young wind monitor

Wireless sensors

- Bluetooth (external) height / temperature sensors
- Bluetooth (external) WiSe sensors

WiSe
Wireless Sensor, for Pressure and Temperature measurement for monitoring ice sheets, range 2400 meter, Communication on 30MHz, bluetooth and iWS-5 ARGOS.

External dimensions, H W D 18 x32 x12 cm.

IMAU
Institute of Mountain and Environmental Sciences
University of Innsbruck

IMAU iWS-5
Intelligent weather station, for polar use.

Kipp & Zonen
Net Radiometer Model CNR-4

Young
Wind Monitor Model 05103

IMAU WiSe
Wireless Sensor

IMAU iWS-5
Bluetooth external sensor

Automatic Weather Station





High Resolution Monitoring of Surging Glaciers using a UAV



Snow Water Equivalent Sensors

Correction of precipitation distribution in the high-altitude catchments of the Indus basin



Validation of Kriging with External Drift (KED) interpolation scheme based estimated precipitation a) with specific runoff, b) with glacier cover

To analyze altitudinal dependency of precipitation in the high-altitude Indus, basin (KED) interpolation scheme with elevation as a predictor to appraise spatiotemporal distribution of mean monthly, seasonal and annual precipitation for the period of 1998–2012 has been used

Zakir, Bashir & Edyy (2016). Journal of Science of the Total Environment. Impact factor 5.9

An appraisal of precipitation distribution in the high-altitude catchments of the Indus basin

River Basin	Pre-monsoon				Monsoon				Winter				Annual			
	ERAI	WEI	TRM	APH	ERAI	WEI	TRM	APH	ERAI	WEI	TRM	APH	ERAI	WEI	TRM	APH
Indus-U	0.21	0.37	0.52	0.86	0.36	0.57	0.63	0.96	0.47	0.35	0.59	1.05	0.32	0.45	0.59	0.95
Zaskar	0.33	0.89	1.01	1.70	0.61	0.84	0.83	1.80	0.66	1.53	1.72	2.81	0.59	1.23	1.30	2.41
Shingo	0.46	1.18	1.11	1.84	0.53	0.79	0.80	1.67	0.60	1.53	1.97	3.02	0.56	1.26	1.35	2.41
Indus-Khar	0.27	0.60	0.71	1.19	0.44	0.66	0.70	1.25	0.53	0.78	1.04	1.72	0.42	0.74	0.86	1.49
Shyok	0.49	1.22	1.35	1.73	0.84	8.74	1.45	2.32	1.08	1.03	2.38	2.61	0.82	1.53	1.75	2.41
Shigar	1.12	2.55	3.29	2.57	1.38	7.67	1.56	3.35	1.81	2.61	4.52	6.30	1.53	2.93	3.17	4.23
Hunza	0.77	2.06	2.27	2.77	1.07	9.75	1.62	3.87	1.12	1.60	2.33	5.49	1.04	2.29	2.11	4.23
Gilgit	0.42	1.16	1.58	1.22	0.74	2.11	1.46	2.72	0.48	0.88	2.23	3.23	0.52	1.17	1.79	2.22
Astore	0.65	1.85	1.82	1.75	0.57	1.26	1.17	2.37	0.84	2.08	3.22	4.11	0.74	1.86	2.07	2.82
Indus-M	0.45	1.24	1.70	1.33	0.42	1.05	0.92	1.93	0.38	0.85	1.82	2.21	0.40	0.99	1.43	1.73
Indus-L	0.77	1.09	1.32	1.11	0.51	1.03	1.01	1.11	0.92	1.51	2.01	1.80	0.71	1.27	1.47	1.37
Indus-Tar	0.47	1.09	1.30	1.50	0.64	3.43	1.07	1.94	0.76	1.08	1.84	2.60	0.63	1.24	1.43	2.09
Chitral	0.50	1.03	1.73	1.27	0.96	1.42	1.56	2.47	0.72	1.09	4.44	2.98	0.69	1.10	1.88	2.14
Swat	0.70	1.03	1.28	1.11	0.39	0.88	0.93	1.02	0.86	1.38	1.43	1.36	0.62	1.18	1.27	1.22
Jhelum	0.91	1.56	1.32	1.54	0.68	0.98	0.96	1.41	0.87	1.90	1.51	1.80	0.82	1.51	1.27	1.63
Chenab	0.84	1.70	1.47	1.83	0.80	1.05	0.76	1.35	0.87	2.58	1.75	2.11	0.89	1.77	1.28	1.84

Basin-wide, seasonal and annual correction factors for each gridded precipitation product

Crop-specific seasonal estimates of irrigation water demand in South Asia

Input

Climate parameters
(Temp, Precipitation and
Radiation)

Soil & land use data

CO₂, country specific
efficiencies

Processes

**Bio-Physical
processes**
Phenology, AET
Interception, Soil
water &
Temperature,
Irrigation water,
Photo synthesis

Output

Potential / actual crop
and grass yield/
production

Crop irrigation water
demand

Irrigation water supply,
Irrigation water
consumption

Rain water consumption

Net (consumption) vs. gross (withdrawal) irrigation water demand in billion m³ for South Asian countries

	Net irrigation demand (consumption)				Other estimat	Percentage groundwater irrigation				Gross irrigation demand (withdrawal)				Other estimates
	Kharif (M6-10)	Rabi (M11-3)	Summer (M4-5)	Total		Total	Kharif (M6-10)	Rabi (M11-3)	Summer (M4-5)	Total	Kharif (M6-10)	Rabi (M11-3)	Summer (M4-5)	
Nepal	0.1	1.0	0.2	1.4		19%	62%	34%	54%	0.3	2.0	0.5	2.7	10 ^g
Pakistan	38	42	16	96	117 ^d	25%	68%	25%	44%	110	86	47	243	200.2 ^h , 162.7 ^b , 117-120 ^c , 187.8 ^g
India	59	14	31	235	317 ^d	27%	79%	63%	64%	136	249	58	443	575.9 ^h , 54 ⁱ , 558.4 ^b , 710-715 ⁱ
Bangladesh	0.1	11	0.3	12		10%	43%	2%	41%	0.2	24	0.8	25	3 ^g
South Asia	97	202	48	346		26%	74%	50%	58%	247	361	106	714	985

RC3: Assessment of climate change adaptation measures

- Develop robust evidence on the effectiveness and applicability of adaptation practices and policies against region-specific critical moments in the four sectors.
- Develop new approaches to conduct inclusive socio-economic cost-benefit analysis of adaptation practices and policies such as the Marginal Cost Method.
- Developing demonstration and piloting sites in the study basin for demonstration of climate smart interventions

Glacier and Snow-fed Irrigation Systems

- Melt – Water from snow and glaciers is the only mechanism for irrigation in most Upper Indus Basin
- Glacier and snow-fed irrigation systems support the food security and livelihoods of the majority of the people living in the high altitude areas
- This study has been designed to develop evidence on the Melt-Water irrigation regimes and access gaps that need further Investigation.



Glacier and Snow-fed Irrigation Systems

Major Research Questions


- What is the extent, importance, role, characteristics of melt-water irrigation and its contributions to livelihoods?
- What is the level of well-being trends in terms of gender inclusive socio-economic changes, whether these have been changing since the past decade, and if so what changes have occurred?
- To what extent are people dependent on melt-water irrigation versus other sources of livelihoods, and how has this been changing over the past decade?
- What issues need further investigation, which will act as a basis for designing 2017 research program?
- What is the interest of community in collaborative action research?




Adaptive Water Governance in Himalayan Towns

Introduction

- Study to identify the issues of urbanization and climate change in the Himalayan towns.
- This study is focusing on urban water, its management, its governance and impacts of climate change on urban water
- This study is focusing on emerging urban settlements in Himalayan river basins, such as “**Murree**” in Pakistan





1. Selection of Pilots: potential out-scaling and upscaling- clear ToC

2. Planning Stage:

- Stakeholder Led Planning
- Good Baseline for M&E
- Participatory M&E.

3. Implementation of Pilots

- Consultation with communities & government, CBOs and NGOs.

4. Monitoring & Evaluation

- PM&E
- Reporting
- Lessons Learnt

5. Impact Evaluation

- Rigorous impact evaluation to see viability, out scaling and potential for upscaling and policy uptake

Quality Evaluation Processes

The objective is to be confident on attributing the change to the intervention with robust evidence

- **Setting up before and after & Comparison Group**
 - Socio-economic data collection
 - Bio-physical and climate data
 - Visual documentary and stories
- **Continuous Participatory Monitoring-**
 - Lessons Learnt and Course Correction
 - In Certain cases midline survey
- **Evaluation**
 - Programme Management Evaluation
 - Programme Impact Evaluation
 - Assessment of expected outcomes, viability and relevance for outscaling and upscaling'
- **Communication & Reporting**
 - Policy Recommendations
 - Outscaling and Upscaling Strategies
 - Final Pilot Project Report

Through scientific statistical techniques


Through Qualitative Participatory Techniques

Through scientific statistical techniques


Outscaling and Upscaling Strategies



Example of the design- Chakri, Pakistan



Piloting in Indus Basin



Passu

Nagar

Aarokas

Saroba Chakri

Jatta Talagang

Sial Sargodha




Flood Plain Study Area(Chaj-Doab)

Mid-Hill Study Area(Soan Basin)

High Mountain StudyArea(Hunza Basin)

Sources: Esri, DeLorme, USGS, NPS, Sources: Esri, USGS, NOAA

HUNZA VALLEY STUDY AREA (HI-AWARE PROJECT)




Legend

-  Hunza Sites
-  HUNZABASIN



MID HILL STUDY AREA (SOAN BASIN)




Legend

- Sites
- Tehsil Soan
- ▭ Soan Boundry



FLOOD PLAIN STUDY AREA (CHAJ DOAB)



Legend


- Sites
- Tehsil Chaj
- Rivers
- Chaj Boundary



Piloting of various water and energy smart technologies at training site Chakri

Portable Solar Pumping Systems

Small Scale upto 2 acre



Design Floating Pump Platform Design

Easy to Move

Easy to Open

Easy to Adjust Angle

Folding Pump

Water Shifting for Cultivation

Popup Sprinkler

Micro Sprinkler

Drip for Tunnels

Drip for Orchards

Large Scale upto 5 acre



Portable Panels

Portable Panels

Converter Switch

Well

Pump

Water Storage

High Pressure Rain Gun

Aquaculture for Up Land


Discharge

Disk Filter

Achievements to Date

- Situational Analysis in 03 Study Areas
- External KMC Strategy
- Data Management Policy
- 2 fully supported PhDs in Netherland (1 woman, 1 man)
- 1 partially supported PhD in Germany
- 10 MSc students (3 women)
- 02 high impact factor journal publication
- 3 journal articles
- 3 Working Paper (9 in pipeline)
- 5 stakeholder engagement events
- 3 blogs
- RiU Strategy


1. Inventory of Glaciers and Lakes of Upper Indus basin (2001)



Total number of Glaciers	5,218
Total glaciated area.....	15041 sq km
Est. Ice Reserves.....	2,738 cub km

Glacial Lakes...	2,420
Major Lakes...	1,328
Potential D. Lakes..	52

Update of glacial lakes and dangerous lakes (GLOF) Inventory (2013)



Year 2001-02

Glacial Lakes... 2,420

Lakes area sq. km 126.5

Potential D. Lakes.. 52


Year 2013

3,044 ↑

134.8 ↑

36


Climate Variability and Change Analysis in Upper Indus basin



Major parts of the central valleys of UIB (below 3,500 m) are dominated by +10 - +20°C temperature range during summer and by -10 - +10°C range in winter during 2000-2009 period

The change in mean maximum temperature was positive in the valleys while it was negative over high mountain ranges during 1990-1999 & 2000-2009 periods.

Flood Extent and Risk Mapping of Nallah Lai Rawalpindi




THE STUDY ON COMPREHENSIVE FLOOD MITIGATION AND ENVIRONMENTAL IMPROVEMENT PLAN IN THE ISLAMIC REPUBLIC OF PAKISTAN JAPAN INTERNATIONAL COOPERATION AGENCY

Fig. A.23

Flood Risk Map (Flood Inundation Area by 23 July 2001 Flood after ADB Lai Nallah Improvement Project)


Flood Inundation Areas and Depths




(Inundation at 2270 m³/s)

0 250 500 1,000 1,500 2,000 Meters

PAKISTAN: FLOOD/RAIN 2010





Flood inundation and Extent -2010 using Remote Sensing data




Province	Flood Affected Area	
	(km ²)	(Acres)
Punjab	15111.1	3,733,947
Sindh	17551.0	4,336,863
KPK	4996.0	1,234,518
Balochistan	4871.6	1,203,769
Azad Jammu and Kashmir	35.2	8697
Pakistan	42564.9	10,517,794

Landuse Map of Flood Affected Areas of Sindh




Legend

- Forest
- Irrigated Agriculture
- Rainfed/Rod-Kohi Agriculture
- Rangeland
- Bare Soil
- Settlements
- Un-Cultivated land
- Water bodies
- District Boundry



Water Resources Research Institute, NARC/PARC

Soil erosion intensity map of Rawal watershed area




Erosion risk	Soil erosion rate (Ton/ha/yr)	Area (km ²)	Area %
V. Low	0 – 1	77.0	28.3
Low	1 – 10	58.2	21.4
Medium	10 - 30	72.4	26.6
High	30 - 100	45.4	16.7
V. High	>100	19.3	7.1
Total		272.0	100.0


Risk of soil erosion predicted in the Rawal watershed area

Watershed Characterization and Monitoring using RS data


Relief and rivernetwork Ghabbir Dam




Landuse at watershed scale







Percent Slope of Watershed



Command Area landuse Ghabir Dam



Assessment of Water Conservation Potential areas



Project Design Matrix for Country (Phase-I)		
Country		Pakistan
River Basin		the Indus River basin
Lead Organization(s)		UNESCO
Project Purpose		To upgrade the flood forecasting and early warning systems of Pakistan, and to conduct risk mapping of flood plains along the Indus River
(1) Data & Statistics	Output	On-time and reliable flood forecasting and flood inundation extent information
	Activites	To collect precipitation and discharge data and share it with other executing partners i.e. ICHARM, NUST and UET for flood hydrological modeling. To conduct soil hydraulic characteristics study in the catchment areas
	Executor	FFD, NUST, UET, ICHARM, PCRWR, WAPDA, PIDA, SIDA
	Expected Partner	UNESCO, NDMA, Ministry of Planning Development and Reforms, FFC
(2) Risk Assessment	Output	To update flood hazard map in lower Indus catchment
	Activites	Identify the flood vulnerability based on past floods and designed floods
	Executor	SUPARCO, JAXA
	Expected Partner	UNESCO, NDMA, Ministry of Planning Development and Reforms, FFC, WAPDA, SIDA
(3) Risk Change Identification	Output	Identification of flood-prone area in the whole Indus River basin under land use change and land cover change
	Activites	Flood hazard mapping and development of a spatial visualization tool for flood risk identification
	Executor	SUPARCO, JAXA, PMD, PARC (land use change and land cover change)
	Expected Partner	UNESCO, NDMA, Ministry of Planning Development and Reforms, FFC, PIDA, SIDA
	Output	Facilitate policy makers to help reduce the human and socioeconomic impacts of flooding in Pakistan

(4) Support in Sound Policy-making	Output	Facilitate policy makers to help reduce the human and socioeconomic impacts of flooding in Pakistan
	Activites	To analyse the existing National Disaster Management Policy and help fill gaps and to facilitate the updation of existing SOPs for barrage and dam operations during flood season
	Executor	CDMP (Peshawar University), NUST
	Expected Partner	UNESCO, NDMA, Ministry of Planning Development and Reform, FFC, IRSA, PIDA, SIDA
(5) Support in Community of Practice	Output	Storage of rainwater to reduce water runoff causing floods in lowland areas, reduction in soil erosion through reduction in water runoff, capacity building of communities on different land and water management technologies, and utilization of harvested rainwater through efficient means to grow high value crops
	Activites	Community Based Training Program on Watershed Management for Flood Control
	Executor	PARC, SAWCRI,
	Expected Partner	UNESCO, BARI, ABAD, OFWM

Thank you



CARIIAA
*Collaborative Adaptation Research
Initiative in Africa and Asia*

**Supported by the UK's Department for International Development (DFID) and
Canada's International Development Research Centre (IDRC)**



IDRC | CRDI

International Development Research Centre
Centre de recherches pour le développement international

Canada



UKaid
from the British people



Photography: David Breashears, GlacierWorks